



# VIOLYT ELEKTROLYT®

Varenummer: 19470

**Dietetisk foder til stabilisering af væske- og elektrolytbalancen / Dietetic feed for stabilization of water and electrolyte balance**

**Tilskudsfoder  
Complementary  
feed**

**15 kg**

## Sammensætning/Composition

Druesukker, natriumbicarbonat, maltodextrin, fodersalt, kaliumklorid/Glucose, sodium bicarbonate, maltodextrin, sodium chloride, potassium chloride.

Tørstof/Dry matter	%	99
Råaske/Ash	%	20
Natrium/Sodium	g/kg	70
Natriumbicarbonat/Sodium bicarbonate	g/kg	150
Klorid/Cl	g/kg	60
Fodersalt/NaCl	g/kg	70
Kalium/K	g/kg	17
Druesukker/Sugar	g/kg	660
Maltodextrin	g/kg	100

## Holdbarhed/Shelf life:

18 måneder/month.

## Opbevaring/storage conditions:

Koldt og tørt i lukket emballage/Dry and cold in closed package.

## Brugsanvisning og dosering:

Vilolyt anvendes til kalve, svin, lam, kid og føl, hvis der foreligger risiko for fordøjelsesforstyrrelser og i perioder med fordøjelsesforstyrrelser.

Bland 175 g Vilolyt i 5 liter varmt vand (40 - 50 gr. C).

Anvendes i 1 - 7 dage efter behov.

Vilolyt må maximum anvendes som eneste foder i 2 dage.

Når Vilolyt tildeles forebyggende, anvendes halv dosis.

Rengør og desinficer drikkekrug dagligt.

Det anbefales at indhente råd fra en dyrlæge inden brug eller inden forlængelse af brugsperioden.

1 dl svarer til ca. 82 g. Reg. no. a-208-G756056.

**Fremstillet af:** aFI21110001.

## Dosage and use instruction:

Calves, pigs, lambs, and foal, in case of risk and during periods of diarrhea and recovery from digestive disturbance.

Mix 175 g in 5 liter of warm water (40-50 gr. C). Can be used 1 - 7 days as needed. Vilolyt must only be used as sole food for 2 days.

If used preventive use half dosage.

Clean and disinfect drinking buckets daily.

It is recommended to follow veterinarian instruction first.

1 dl corresponds to approx 82 g. Reg. no. a-208-G756056.

**Manufactured of:** aFI21110001.



Partnummer / Lot nr:

Mindst holdbar til / Best before:

**Vilofarm**

**+45 8887 5300**